




MOTOR CONNECTOR IS JST mod. EHR-4/
EHR-6 A 4 / 6 POLES FEMALE.
FOR CONNECTION USE JST mod. B4B-EH-A/
B6B-EH-A MALE CONNECTOR.

Dimensions in mm.

FEATURES CARATTERISTICHE	
MODEL MODELLO	103 - 546 - 5342
BASIC STEP ANGLE	1.8° ± 0.09°
BIPOLAR CURRENT (Amp)	0.42 ^(*)
UNIPOLAR CURRENT (Amp)	0.6
RESISTANCE (Ohm)	6.7
INDUCTANCE (mH)	5.4
BIPOLAR HOLDING TORQUE (Ncm)	19
UNIPOLAR HOLDING TORQUE (Ncm)	14.5
ROTOR INERTIA (Kgm ² x 10 ⁻⁷)	30
THEORETICAL ACCELERATION (rad x sec. ⁻²)	63000
BACK E.M.F. (V/Krpm)	18
MASS (Kg)	0.2
LEADS CODE	IV



^(*) Bipolar series connection.
^(*) Collegamento bipolare serie.



R.T.A. s.r.l. PAVIA (ITALY) SANYO DENKI CO., Ltd (JAPAN)

EMC 03-11

Suggested driver: contact R.T.A.



R.T.A. s.r.l.
Via E. Mattei - Fraz. Divisa
27020 MARCIGNAGO (PV) ITALY
Tel. +39.0382.929.855 - Fax +39.0382.929.150
www.rta.it

R.T.A. Deutschland GmbH
Bublitzer Straße 34
40599 DÜSSELDORF (Germany)
Tel. +49.211.749.668.60 - Fax +49.211.749.668.66
www.rta-deutschland.de

R.T.A. IBERICA-Motion Control Systems S.L.
C/Generalitat 22, 1° 3°
08850 GAVA - BARCELONA (Spain)
Tel. +34.936.388.805 - Fax +34.936.334.595
www.rta-iberica.es